INDEX OF AUTHORS

ARTHUR, D. R. *Ixodes tatei* n.sp. from Iraq (Acarina: Ixodidae). (With 7 Figures in the Text), 108

BANO, L. A cytological study of the early oocysts of seven species of *Plasmodium* and the occurrence of post-zygotic meiosis. (With 137 Figures in the Text), 559

CAMPBELL, J. ALLAN. *See* SILVERMAN, PAUL H.

CLARKSON, M. J. The life history and pathogenicity of *Eimeria meleagrimitis* Tyzzer 1929, in the turkey poult. (With 6 Figures in the Text), 70

CLARKSON, M. J. The life history and pathogenicity of *Eimeria meleagridis* Tyzzer, 1927, in the turkey poult. (With 2 Figures in the Text), 519

COOMBS, R. R. A. *See* SOULSBY, E. J. L.

DASGUPTA, B. and KULASIRI, C. Some cytochemical observations on *Toxoplasma gondii*, 594

DASGUPTA, B. *See* KULASIRI, C.

ERASMUS, DAVID A. The migration of *Cercaria X* Baylis (Strigeida) within the fish intermediate host. (With Plates III and IV, and 6 Figures in the Text), 173

FRANKLAND, HELGA M. T. The incidence and distribution in Britain of the trematodes of *Talpa europaea*, 132

GIBBS, ALFRED J. *Leptomonas* sp., parasitic in the fly *Leia* sp. (fam. Mycetophilidae), with special reference to the metacyclic forms. (With 6 Figures in the Text), 411

GIBBS, A. J. *Coleospora binucleata*, gen.nov., sp.nov., a haplosporidian parasite found in *Gonocephalum arenarium* (Coleoptera). (With 16 Figures in the Text), 552

GRAINGER, J. N. R. The identity of the larval nematodes found in the body muscles of the cod (*Gadus callarias* L.). (With 15 Figures in the Text), 121

HICKMAN, J. L. *Dendrogaster tasmaniensis* sp.nov. (Ascothoracida) from the sea-star *Allostichaster polyplax* (Müller and Troschel). (With 19 Figures in the Text), 316

HILLER, SYLVIA R. The morphology and life cycle of *Plistophora scatopsi* sp.nov., a microsporidian parasitic in the mid-gut of *Scatopse notata* Mg. (Diptera, Nematocera). (With 53 Figures in the Text), 464

HOARE, CECIL A. Morphological and taxonomic studies on mammalian trypanosomes. IX. Revision of *Trypanosoma dimorphon*. (With 5 Figures in the Text), 210

HOPKINS, C. A. Seasonal variations in the incidence and development of the cestode *Proteocephalus filicollis* (Rud. 1810) in *Gasterosteus aculeatus* (L. 1766). With 3 Figures in the Text), 529

IGNOFFO, CARLO M. Louse populations of some rodents of the Great Salt Lake desert. (With 1 Figure in the Text), 511

ILES, CHRISTINE. The larval trematodes of certain fresh-water molluscs. I. The furcocercariae. (With 6 Figures in the Text), 478

JACK, K. M. Additional host and locality records for *Geckobiella texana* (Banks), 1904 (Acarina, Pterygosomidae), 462

JAIN, S. L. Monogenea of Indian freshwater fishes. VIII. *Sprostonia*, a new genus of freshwater Tetraonchinae, with the descriptions of four new species, from the gill filaments of fishes, from Lucknow. (With 21 Figures in the Text), 153

JAIN, S. L. *Neosprostonia*, a new name for *Sprostonia* Jain, 1959, 477

JOHRI, G. N. Descriptions of two amabilid cestodes from the little grebe, *Podiceps ruficollis*, with remarks on the family Amabiliidae Braun, 1900. (With 14 Figures in the Text), 454

JONES, J. W. *See* NICHOLAS, W. L.

KABATA, Z. On two little-known microsporidia of marine fishes. (With 3 Figures in the Text), 309

KENDALL, S. B. The occurrence of *Histomonas meleagridis* in *Heterakis gallinae*. (With 2 Figures in the Text), 169

KULASIRI, C. and DASGUPTA, B. A cytochemical investigation of the Sabin–Feldman phenomenon in *Toxoplasma gondii* and an explanation of its mechanism on this basis, 586

KULASIRI, C. *See* DASGUPTA, B.

LAWRENCE, R. F. New mite parasites of African birds (Myobiidae, Cheyletidae). (With 13 Figures in the Text), 416

LEE, D. L. The nervous system of *Thelastoma bulhõesi* (Magalhães, 1900; Travassos, 1929), a nematode parasitic in cockroaches. (With 3 Figures in the Text), 473

MURRAY, M. D. The attachment of eggs of a mite *Epidermoptes bilobatus* to the skin of its host. (With 3 Figures in the Text), 372

NAKAMURA, MITSURU. Inhibition of *Entamoeba histolytica in vitro* by specific antibody, 104

NICHOLAS, W. L. and JONES, J. W. *Henneguya tegidiensis* sp.nov. (Myxosporidia), from the freshwater fish *Coregonus clupeoides pennantii* (the Gwyniad). (With Plate I and 1 Figure in the Text), 1

PAN, CHIA-TUNG. Nuclear division in the trophic stages of *Iodamoeba bütschlii* (Prowazek, 1912) Dobell, 1919. (With Plates VIII–X), 543

PEARSON, J. C. *Neodiplostomum intermedium* n.sp. from the allied rat, *Rattus assimilis*, with remarks on the genera *Neodiplostomum* and *Fibricola* (Trematoda: Diplostomatidae). (With 8 Figures in the Text), 111

RAKSHPAL, R. On the behaviour of pigeon louse *Columbicola columbae* Linn. (Mallophaga). (With 6 Figures in the Text), 232

REES, GWENDOLEN. *Ditrachybothridium macrocephalum* gen.nov., sp.nov., a cestode from some elasmobranch fishes. (With Plate V and 27 Figures in the Text), 191

ROSE, J. H. *Metastrongylus apri* the pig lungworm. Observations on the free-living embryonated egg and the larva in the intermediate host. (With 2 Figures in the Text), 439

RYKE, P. A. J. A revision of the hypoaspid mites associated with Myriapoda with descriptions of three new species of the subgenus *Julolaelaps* Berl. (Acarina: Laelaptidea). (With 39 Figures in the Text), 6

SILVERMAN, PAUL H. and CAMPBELL, J. ALLAN. Studies on parasitic worms of sheep in Scotland. I. Embryonic and larval development of *Haemonchus contortus* at constant conditions. (With 2 Figures in the Text), 23

SOLTYS, M. A. Immunity in trypanosomiasis. III. Sensitivity of antibody-resistant strains to chemotherapeutic drugs, 143

SOULSBY, E. J. L. and COOMBS, R. R. A. Studies on blood group substances associated with *Ascaris lumbricoides*. (With 2 Figures in the Text), 505

SPRENT, J. F. A. The life history and development of *Toxoscaris leonina* (von Linstow 1902) in the dog and cat. (With Plates VI and VII and 40 Figures in the Text), 330

THEODOR, OSKAR. A revision of the genus *Cyclopodia* (Nycteribiidae, Diptera). (With 77 Figures and 3 Maps in the Text), 242

THOMAS, R. J. A comparative study of the life histories of *Nematodirus battus* and *N. filicollis*, nematode parasites of sheep. (With 13 Figures in the Text), 374

THOMAS, R. J. Field studies on the seasonal incidence of *Nematodirus battus* and *N. filicollis* in sheep. (With 4 Figures in the Text), 387

WALKER, JANE B. and WILEY, A. J. (the late). *Rhipicephalus camelopardalis* n.sp. (Ixodoidea, Ixodidae), a new species of tick from East African giraffes. (With 4 Figures in the Text), 448

WELCH, HAROLD, E. Taxonomy, life cycle, development, and habits of two new species of Allantonematidae (Nematoda) parasitic in drosophilid flies. (With 33 Figures in the Text), 83

WILEY, A. J. (the late). *See* WALKER, JANE B.

WILLIAMS, H. HARFORD. The anatomy of *Köllikeria filicollis* (Rudolphi, 1819), Cobbold, 1860 (Trematoda: Digenea) showing that the sexes are not entirely separate as hitherto believed. (With 17 Figures in the Text), 39

WILLIAMS, H. HARFORD. The anatomy of *Phyllobothrium sinuosiceps* sp.nov. (Cestoda: Tetraphyllidea) from *Hexanchus griseus* (Geilin) the six gilled shark. (With Plate II containing Figs. 1–6, and Figures 1–13 in the Text), 54

INDEX OF SUBJECTS

Allantonematidae, two new species of, parasitic in four species of *Drosophila*, 83
Allostichaster polyplax, host of *Dendrogaster tasmaniensis* sp.nov., 316
Amabilid cestodes from two species of *Podiceps*, 454
Anisakis, anatomy, cultivation, ecdyses and hatching of the larvae of, in *Gadus callarias*, 121
Ascaris lumbricoides, blood group substances associated with, 505

Birds, African, new mite parasites of, 416
Brama raii, host of *Köllikeria filicollis*, 40

Cercaria, eight species of, found in molluscs in Glamorganshire, 478
Cercaria X Baylis, migration and effects of, in the fish *Gasterosteus aculeatus* and *Lebistes reticulatus*, 173
Cestodes, amabilid, from two species of *Podiceps*, 454
Cockroaches, hosts of *Thelastoma bulhõesi*, 473
Coleolaelaps, diagnosis of, 7; *amazon*, 7
Coleospora binucleata, gen.nov, sp.nov., characters and life history of, in *Gonocephalus arenarium*, 552
Columbicola columbae, behaviour of, 232
Congolense group of typanosomes, diagnosis of, 227
Conodiplostomum, relationship of, to *Neodiplostomum* and *Fibricola*, 116
Coregonus clupeoides pennantii, host of *Henneguya tegidiensis*, n.sp., 1, 5
Cyclopodia, revision of the genus and key to 23 species, 242

Ditrachybothridium macrocephalum, gen.nov., sp.nov., parasitic in elasmobranchs, 191
Dendrogaster tasmaniensis sp.nov., parasitic in *Allostichaster polyplax*, 316; appendages interpreted as antennae, 327
Drepanopsetta hippoglossoides, host of *Plistophora hippoglossoideos*, 313
Drosophila, species of, acting as hosts of Allantonematidae, 83

Eimeria; adenoeides, characters of, 526; *gallopavonis*, characters of, 526; *meleagridis*, host-specificity, life history and pathogenicity to turkey poults, 519; *meleagrimitis*, life cycle, pathology and pathogenicity to turkey poults, 70
Entamoeba histolytica, inhibition of, *in vitro*, by specific antibody, 104
Epidermoptes bilobatus, attachment of the eggs to the skin of mammals, 372

Fibricola, taxonomy and relation to *Conodiplostomum* and *Neodiplostomum*, 116
Fishes, marine, hosts of two little-known Microsporidia, 309
Furcocercariae, found in freshwater molluscs in Glamorganshire, 478

Gadus; aeglifinus, host of *Nosema branchiale*, 309; *callarias*, host of *Anisakis* and *Porrocaecum*, 121
Gasterosteus aculeatus, seasonal variations in the incidence and development of *Proteocephalus filicollis* in, 529
Geckobiella texana, additional host and locality records for, 462
Giraffe, East African; host of *Rhipicephalus camelopardalis*, 448
Gonocephalum arenarium, life history of *Coleospora binucleata* in, 552

Haemonchus contortus, development of, at constant conditions, 29–36; embryonation, hatching and survival of the eggs and migration of the larvae of, at constant conditions, 23
Harpypalpus; comparison of, with *Harpirhynchus*, 416; *halopus*, 417
Harpyrhynchidae, key to the genera of, on birds, mammals and snakes, 417
Harpyrhynchus, taxonomy and species of, parasitic on African birds, 416; key to the old-world species of, 424
Henneguya tegidiensis, n.sp., cysts and spores of, 1

Heterakis gallinae, parasites resembling *Histomonas meleagridis* in the larvae of, 169
Histomonas meleagridis, parasites resembling, in the larvae of *Heterakis gallinae*, 169
Howardula aoronymphium sp.nov., parasitic in two species of *Drosophila*, 84
Hypoaspis, taxonomy and species of, 7; *see also Julolaelaps*

Iodamoeba bütschlii, nuclear division of the trophic stages of, 543
Iphiolaelaps, characters of, 6, 21; *myriapoda*, characters and hosts of, 21
Iphiopsis, 6
Itygonimus, species of, parasitic in *Talpa europaea* in Britain, 132
Ixodes tatei, n.sp., characters and related species of, 108

Jacobsonia, 7; *see also Parajacobsonia*
Julolaelaps, taxonomy and species of, 9; *see also Hypoaspis*

Köllikeria filicollis, anatomy and taxonomy, 39; sexes not entirely separate in all species of, 46

Laelaptid mites of Myriapoda, key to the genera and species of, 6
Lebistes reticulatus, penetration of Cercaria X into the tail of, 176, 185
Leia sp., host of *Leptomonas* sp., 411
Leptomonas sp., parasitic in the mycetophylid fly, *Leia* sp., 411
Louse-populations of rodents in the Great Salt Lake Desert, 511

Mammals, attachment of the eggs of *Epidermoptes bilobatus* to the skin of, 372
Metastrongylus apri, viability of the eggs and larvae and longevity of the larvae inside and outside the earthworm intermediate host, 440
Mites, laelaptid, parasitic in Myriapoda, 6; new species of, parasitic on African birds, 416
Molluscs, freshwater, hosts of larval trematodes in Glamorganshire, 478

Nematodirus; battus, life history, effects on lambs and seasonal incidence, compared with those of *N. filicollis*, 374; *spathiger*, hatching of the third larva from the egg of, 376
Neocheyletiella, new species of, parasitic on African birds, 427
Neodiplostomum; taxonomy of, 116; *intermedium*, n.sp., parasitic in *Rattus assimilis*, anatomy and taxonomy of, 111
Neosprostonia, a new name for *Sprostonia* Jain, 1959, 477
Nosema branchiale, parasitic on the gill filaments of the haddock, 311; spores and cysts of, 309

Omphalometra flexuosa, parasitic in *Talpa europaea* in Britain, 132
Ornithocheyla, diagnosis of, 433; *megaphallos* sp.nov., characters and host of, 434

Parajacobsonia, 7
Parasitylenchus, synonymy and species of, 92; *diplogenus* sp.nov. parasitic in *Drosophila* spp., anatomy, effects on the host, host-specificity, life cycle and taxonomy of, 91
Phyllobothrium sinuosiceps sp.nov., parasitic in *Hexanchus griseus*, anatomy and taxonomy of, 54
Pigeon-louse, behaviour of, 232
Plasmodium, early oocysts of, cytology and meiosis and pigment in, 559
Plistophora hippoglossoideos, cysts and spores of, in the fish, *Drepanopsetta hippoglossoides*, 313; *scatopsi* sp.nov., anatomy, life cycle and occurrence, 464
Podiceps, species of, acting as hosts of amabilid cestodes, 454; of *Tatria acanthorhyncha*, 457
Porrocaecum, anatomy, cultivation, hatching from the cysts and ecdyses of the larvae and pre-adults of, in *Gadus callarias*, 121
Proteocephalus filicollis, seasonal variations in the incidence and development of, in *Gasterosteus aculeatus*, 529

Raja, species of, acting as hosts of *Ditrachybothridium macrocephalum* gen.nov., sp.nov., 191
Rhipicephalus camelopardalis, parasitic in the East African giraffe, 448
Rodents, louse-populations of, in the Great Salt Lake Desert, 511

Sabin–Feldman phenomenon, cytochemistry and mechanism of, 586

Scatopse notata, host of *Plistophora scatopsi* sp.nov., 464
Schistotaenia, 460; *indica* sp.nov., characters and host, 454
Scissuralaelaps, 6, 21; *nova-guinea*, 21
Scolopendracarus, 7
Scyliorhynchus caniculus, host of *Ditrachybothridium macrocephalum* gen.nov., sp.nov., 191
Sprostonia Jain 1959, new name for, 477; four new species of, from the gill filaments of Indian freshwater fishes, 153; taxonomy, 166
Syringophilus zumpti, characters and host, 425

Talpa europaea in Britain, trematodes found in, 132
Tatria acanthorhyncha, characters and hosts, 457; taxonomy, 459
Thelastoma bulhõesi, nervous system of, 474
Toxascaris leonina, hosts, life history, 330; relationships of, to *Toxocara* spp., 363
Toxocara spp., relationships of, to *Toxascaris leonina*, 363
Toxoplasma gondii, the Sabin-Feldman phenomenon in, 586
Trematoda, found in *Talpa europaea* in Britain, 132
Trypanosoma; brucei shinyanga III, sensitivity of M and R strains of, to antrycide and suramin, 143; *dimorphon*, classification, differential diagnosis, history and original and revised descriptions of, 210
Trypanosomes, *congolense* group of, diagnosis of, 227
Trypanosomiasis, immunity in, 143